



E A R T H Y E L E G A N C E

CARARA COLLECTION - 2023



THE  
TREND  
GUIDE




# Our Product

This Series is inspired by the stunning Carrara marble. Mimicking similar patterns and textures, these tiles offer a stylish and more affordable option for enhancing the beauty of your space. Perfect for achieving a classic and sophisticated look without natural stone's higher cost and maintenance requirements.

## Taking your space ahead



Living for  
**effortless beauty**






Aeris **Gold**



GLOSSY | 600x600mm

8 Random




Casini **Carrara**



GLOSSY | 600x600mm

7 Random






CASINI CARRARA



Elbose **Natural**



GLOSSY | 600x600mm

12 Random




Extra **Statuario**



GLOSSY | 600x600mm

7 Random






EXTRA STATUARIO




Glint **Statuario**




GLOSSY | **600x600mm**

**12 Random**




Marble **Cloud White**



GLOSSY | **600x600mm**

**9 Random**





MARBLE CLOUD WHITE




Neo Statuario



GLOSSY | 600x600mm

12 Random



NUR



GLOSSY | 600x600mm

18 Random





**NUR**




Oasis **Satvario**



GLOSSY | 600x600mm

8 Random




Rock Unique **Statuario**



GLOSSY | 600x600mm

8 Random






ROCK UNIQUE STATUARIO




Sathvario **Noble**




GLOSSY | 600x600mm

8 Random




Sathvario **Smoky Natural**



GLOSSY | 600x600mm

8 Random






SATHVARIO SMOKY NATURAL




Sathvario **Vintage**




GLOSSY | 600x600mm

8 Random




Sathvario **Vogue**



GLOSSY | 600x600mm

8 Random






SATHVARIO VOGUE



Saturio **Elegant**




GLOSSY | 600x600mm

8 Random




Statuario **Flow**



GLOSSY | 600x600mm

8 Random



It is geometrically **perfect**





STATUARIO FLOW




Statuario **Premier**




GLOSSY | 600x600mm

12 Random




Statuario **Spark**



GLOSSY | 600x600mm

7 Random






STATUARIO PREMIER





Amzer White



GLOSSY | 600x600mm

4 Random




Make Your Place  
**Full Of Energy**






Andrea **Satuario**




GLOSSY | 600x600mm

6 Random




Arctic **Gold**




GLOSSY | 600x600mm

6 Random






Bianco **Stone**



GLOSSY | 600x600mm

4 Random



Let's add  
**some**  
efficiency






ARCTIC GOLD





Calcutta **White**




GLOSSY | 600x600mm

3 Random







Carara **Polaris**



GLOSSY | 600x600mm

6 Random




Carara Art **White**




GLOSSY | 600x600mm

6 Random






Carara **Smoke**



GLOSSY | 600x600mm

6 Random






Carara Smoke




Carrara **White**




GLOSSY | 600x600mm

5 Random




Grace **White**



GLOSSY | 600x600mm

6 Random




Colised **Ice**



GLOSSY | 600x600mm

6 Random



Behold a unique  
**craftsmanship**






COLISEDICE




Harmony




GLOSSY | 600x600mm

6 Random




Liner Carara



GLOSSY | 600x600mm

6 Random





New Carara



GLOSSY | 600x600mm

5 Random



From The  
**Most Valued**  
Creators






LINER CARARA




Prisma **Gold**




GLOSSY | 600x600mm

4 Random




Roman **Satvario**




GLOSSY | 600x600mm

6 Random




Roca **White**




GLOSSY | 600x600mm

6 Random




Sathvario **Smoky Gold**



GLOSSY | 600x600mm

6 Random






SATHVARIO SMOKY GOLD



Satuario **Arbascato**




GLOSSY | 600x600mm

6 Randam




Satuario **Siena**




GLOSSY | 600x600mm

6 Randam




Satuario **Lasa Gold**



GLOSSY | 600x600mm

6 Randam



Surprisingly  
**above everything**





SATUARIO LASA GOLD




Satuario **Taxta**




GLOSSY | 600x600mm

4 Random



Satuario **Thasos**




GLOSSY | 600x600mm

6 Random




Satuario **Gray**



GLOSSY | 600x600mm

3 Random



The inception  
**of a new**  
dimension.






SATUARIO THASOS




Satvario **Impact**




GLOSSY | 600x600mm

4 Random




Satvario **Liva**




GLOSSY | 600x600mm

6 Random



Satvario **Kashmire**



GLOSSY | 600x600mm

6 Random




Satvario **Natural**



GLOSSY | 600x600mm

5 Random



# THE LINE OF THE LIGHT

It has an "underground" design in the oval sense of the word. It is inspired by the lamps of mirrors and wicker, protected by a metal cage which in Cape becomes a decorative element. The contrast between the refined bronze glass diffuser and the external cage is enhanced and reinforced even more by the composition due to the hand-crafting of the wire.

Conceived from the start as a complete collection, it is available in the floor lamp, suspension and table lamp versions.

In the suspension lamp version, it is available with a glass shade in such as black or white, to which a touch of white metal cage is applied, or in the more surprising version, made with wire cage.

It casts an intense beam of light downwards, which gives the impression of a table, a cabinet or a wall-mounted lamp. In the floor or table version, it also allows a more playful use, where the bronze collector serves as a support of light, radiating it with its own white luminous and glowing atmosphere.


Light experience in Moscow, Dublin, Paris, Rome, Madrid.



SATVARIO NATURAL



Satvario **Pearl**




GLOSSY | 600x600mm

4 Random




Splendente **White**




GLOSSY | 600x600mm

5 Random





Satvario **Thundar**



GLOSSY | 600x600mm

6 Random



Experience the  
**best of grandiosity**






SATVARIO THUNDAR



Statuario **Canva**




GLOSSY | 600x600mm

4 Random




Statuario **Florn**




GLOSSY | 600x600mm

6 Random




Statuario **Nile**




GLOSSY | 600x600mm

5 Random



A shimmer  
**that outshines**  
everything else.






STATUARIO FLORN




Statuario **Windy**




GLOSSY | 600x600mm

5 Random




Statuario **Freedom**




GLOSSY | 600x600mm

6 Random




Statuario **Fantastico**




GLOSSY | 600x600mm

4 Random




Statuario **Volakas**



GLOSSY | 600x600mm

4 Random






STATUARIO VOLAKAS



Staturio **Diamond**




GLOSSY | 600x600mm

5 Random




Wow **Calacata**




GLOSSY | 600x600mm

4 Random





Vely Gold **Statuario**



GLOSSY | 600x600mm

4 Random



Release Some  
**Astonishing Splendor**





VELY GOLD STATUARIO



# TECHNICAL DETAIL

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	STANDARD AS PER IS 15622:2017 Gr.BIa	METHOD OF TESTING	MEAN VALUE OF
<b>Regulatory Properties</b>				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/IS 13630-1	± 0.10 %
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/IS 13630-1	± 5.0 %
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	ISO 10545-2/IS 13630-1	± 0.10 %
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	ISO 10545-2/IS 13630-1	± 0.10 %
Surface Flatness Central Curvature	±0.40 % ( ± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.20 % <b>0.40</b>
Surface Flatness Edge Curvature	±0.40 % ( ± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.20 % <b>0.40</b>
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.10 % <b>0.40</b>
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1	>95% defects free
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80
Glossiness (Satin/Posh)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	15 ≤ Gloss Value ≤ 25
Glossiness (Matt/CRV)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	7 ≤ Gloss Value ≤ 18
Glossiness @ Value)##	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≤ 7
<b>Structural Properties</b>				
Water Absorption	≤0.50 %	≤0.080 %	ISO 10545-3/IS 13630-2	≤0.080 %
Bulk Density	As per Manufacturer	Min 2.20 g/cc	ISO 10545-3/IS 13630-2	> 2.28 gm/cc
<b>Massive Mechanical Properties</b>				
Modulus of Rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	ISO 10545-4/IS 13630-6	Min. 37.0 N/mm <sup>2</sup>
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/IS 13630-6	Min 1500.0 N
<b>Surface Mechanical Properties</b>				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/IS 13630-13	Satin, Posh & Matt, CRV Min 6
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Satin, Posh & Matt, CRV Min III
<b>Thermal Hygrometric Properties</b>				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	ISO 10545-10/IS 13630-3	Max 0.02 mm/m
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8/IS 13630-4	Max. 6.0 x 10 <sup>-6</sup>
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5	Min 10 Cycle
Impact Resistance(COR) #	Min. 0.55	Min 0.55	ISO 10545-5/IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9	4 Cycle
<b>Chemical Properties</b>				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	ISO 10545-14/IS 13630-8	Min. Class 4/ Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	ISO 10545-13/IS 13630-8	Min Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-8	Min Class GLB***/ Min Class A***
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-7	Min Class GHB***/ Min Class A***
<b>Safety Properties</b>				
Skid Resistance -(DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	BS 7976-2	Satin, Posh ≥P1 Matt/CRV ≥P2
Slip Resistance -Satin/Posh/ Matt/CRV (DCOF- R Value )##	As per Manufacturer	As per Manufacturer	DIN 51130	R9 to R13
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb & Cd

\* Whichever is Lower

\*\* With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)

\*\*\* Except Hydrofluoric Acid & it's compound

# Tiles Intended for use on floor

## For Floor tiles, as per customer requirement

## PACKING DETAIL

SIZE	TILE / BOX	COVERAGE AREA / BOX
600x600mm	4pcs	1.44 sq.mtr

**THANK YOU**